NEWS AND REVIEWS INDEX TO VOLUME 56

Author and Subject Index

AUTHOR

- ACCATINO, P., J.L. RUEDA, and D. BERRIOS. Agronomic technology to produce consumer potatoes from botanical potato seed, 455, (abst).
- ACHTERBERG, C.L., D.M. CLAUSON, J.A. BLEASE and E.S. BARDEN. A new procedure for the mass extraction and collection of potato glycoalkaloids, 145-148.
- ALLAN, E., see DeBoer, S.H.
- AMOROS, W.R. and H.A. MENDOZA. Relationship between heterozygosity and yield in autotetraploid potatoes, 445, (abst).
- ARCHULETA, J.G. and G.D. EASTON. The cause of deep-pitted scab, 456, (abst).
- AUGUSTIN, J., see True, R.H.
- BAGNALL, R.H., see Singh, R.P.
- BALDOCK, J.O., see Weis, G.G.
- BARDEN, E.S., see Achterberg, C.L.
- BAROUDI, A., see Gould, W.A.
- BERRIOS, D., see Accatino, P.
- BIRD, G.W., see Vitosh, M.L.
- BISHOP, G.Y., see Bryne, D.N.
- BLEASE, J.A., see Achterberg, C.L.
- BOWMAN, T., see Kloepper, J.W.
- BREWER, J.W., see Kloepper, J.W.
- BROWN, C.R. General combining ability of andigena clones for resistance to PLRV, 456,
- BRUCE, D. French fry quality parameters, 456, (abst).
- BRYAN, J.E., see Roca, W.M.
- BRYNE, D.N. and G.Y. BISHOP. Comparison of water trap pans and leaf counts as sampling techniques for green peach aphids on potatoes, 237-241.
- CAMADRO, E. and S.J. PELOQUIN. The occurrence and frequency of 2N pollen in three diploid solanums from northwest Argentina, 457, (abst),
- CAMERON, A., see Workman, M.
- CAMPBELL, R.B. and R.A. MOREAU. Ethylene in a compacted field soil and its effect on growth, tuber quality, and yield of potatoes, 199-210.
- CASH, J.N., see Tarhan, A.F.
- CHANDRA, S., see Mondy, N.I.
- CHASE, R.W., see Vitosh, M.L.
- CLAUSEN, D.M., see Achterberg, C.L.
- CORSINI, D., G. STALLKNECHT, and W. SPARKS. Changes in chlorpropham residues in stored potatoes, 43-50.
- DAVIES, H.T., see Young, D.A.
- DAVIS, J.R., and M.D. GROSKOPP. Influences of the Rhizoctonia disease on production of the Russet Burbank potato, 253-264.
- DAVIS, J.R. and W.B. JONES. Seedborne Rhizoctonia solani inoculum and its importance to the Rhizoctonia disease of potato, 457, (abst).
- DEARBORN, C.H. Denali: a high dry matter potato with wide adaptation, 373-378.
- DEARBORN, C.H. Observations on potato plant and tuber growth in Alaska, 458, (abst).
- DeBOER, S.H. Erwinia carotovora contamination of symptomless potato foliage, roots, and tubers, 458, (abst).
- DeBOER, S.H., E. ALLAN, and A. KELMAN. Survival of Erwinia carotovora in Wisconsin soils, 243-252.
- DREW, M.E., see Singh, R.P.

NEWS AND REVIEWS INDEX TO VOLUME 56

Author and Subject Index

AUTHOR

- ACCATINO, P., J.L. RUEDA, and D. BERRIOS. Agronomic technology to produce consumer potatoes from botanical potato seed, 455, (abst).
- ACHTERBERG, C.L., D.M. CLAUSON, J.A. BLEASE and E.S. BARDEN. A new procedure for the mass extraction and collection of potato glycoalkaloids, 145-148.
- ALLAN, E., see DeBoer, S.H.
- AMOROS, W.R. and H.A. MENDOZA. Relationship between heterozygosity and yield in autotetraploid potatoes, 445, (abst).
- ARCHULETA, J.G. and G.D. EASTON. The cause of deep-pitted scab, 456, (abst).
- AUGUSTIN, J., see True, R.H.
- BAGNALL, R.H., see Singh, R.P.
- BALDOCK, J.O., see Weis, G.G.
- BARDEN, E.S., see Achterberg, C.L.
- BAROUDI, A., see Gould, W.A.
- BERRIOS, D., see Accatino, P.
- BIRD, G.W., see Vitosh, M.L.
- BISHOP, G.Y., see Bryne, D.N.
- BLEASE, J.A., see Achterberg, C.L.
- BOWMAN, T., see Kloepper, J.W.
- BREWER, J.W., see Kloepper, J.W.
- BROWN, C.R. General combining ability of andigena clones for resistance to PLRV, 456,
- BRUCE, D. French fry quality parameters, 456, (abst).
- BRYAN, J.E., see Roca, W.M.
- BRYNE, D.N. and G.Y. BISHOP. Comparison of water trap pans and leaf counts as sampling techniques for green peach aphids on potatoes, 237-241.
- CAMADRO, E. and S.J. PELOQUIN. The occurrence and frequency of 2N pollen in three diploid solanums from northwest Argentina, 457, (abst),
- CAMERON, A., see Workman, M.
- CAMPBELL, R.B. and R.A. MOREAU. Ethylene in a compacted field soil and its effect on growth, tuber quality, and yield of potatoes, 199-210.
- CASH, J.N., see Tarhan, A.F.
- CHANDRA, S., see Mondy, N.I.
- CHASE, R.W., see Vitosh, M.L.
- CLAUSEN, D.M., see Achterberg, C.L.
- CORSINI, D., G. STALLKNECHT, and W. SPARKS. Changes in chlorpropham residues in stored potatoes, 43-50.
- DAVIES, H.T., see Young, D.A.
- DAVIS, J.R., and M.D. GROSKOPP. Influences of the Rhizoctonia disease on production of the Russet Burbank potato, 253-264.
- DAVIS, J.R. and W.B. JONES. Seedborne Rhizoctonia solani inoculum and its importance to the Rhizoctonia disease of potato, 457, (abst).
- DEARBORN, C.H. Denali: a high dry matter potato with wide adaptation, 373-378.
- DEARBORN, C.H. Observations on potato plant and tuber growth in Alaska, 458, (abst).
- DeBOER, S.H. Erwinia carotovora contamination of symptomless potato foliage, roots, and tubers, 458, (abst).
- DeBOER, S.H., E. ALLAN, and A. KELMAN. Survival of Erwinia carotovora in Wisconsin soils, 243-252.
- DREW, M.E., see Singh, R.P.

DWELLE, R.B., G.E. KLEINKOPF, R.K. STEINHORST, and J.J. PAVEK. Measurements of gross photosynthetic rate and leaf area as a potential tool for screening selections from potato breeding programs, 459, (abst).

EASTON, G.D. The biology and epidemiology of potato ring rot, 459, (abst).

EASTON, G.D., see Archuleta, J.G.

ESTRADA, N. High vielding frost resistant hybrids for the tropical highlands, produced via Solanum acaule diploid, tetraploid crosses, 460, (abst).

EWING, E.E., see Lazin, M.B.

EWING, E.E., A. HEDGES, and J.B. SIECZKA. Effects of short periods of chilling and warming on potato sugar content and chipping quality, 461, (abst).

FARNSWORTH, S., see Stallknecht, G.F.

FAUNCE, R., see Kezis, A.S.

FAUNCE, R. and A.S. KEZIS. Anticipated changes in consumption of fresh potatoes by Northeast consumers in relation to their purchase, use, and socio-economic characteristics, 177-184.

FOUSS, J.L., see Phene, C.J.

FREEMAN, J.A. Response of potato cultivars to metribuzin, 461, (abst).

GARDNER, W., see Ross, C.

GEESTERANUS, H.P.M., see Vruggink, H.

GLYNN, M.T., see Varns, J.L.

GONZALEZ, L.C., see Jackson, M.T.

GOTH, R.W., see Jaworski, C.A.

GOTH, R.W. and R.E. WEBB. Roquette Eruca sativa an improved host plant for rearing aphid vectors of potato viruses, 462, (abst).

GOULD, W.A., B. HAIR, and A. BAROUDI. Evaluation of potato cultivars before and after storage regimes for chipping, 133-144.

GRAHAM, D.C. The epidemiology of potato blackleg and its control by stem cuttings in Scotland, 462, (abst).

GREGORY, P., see MacKenzie, J.D.

GRIFFIN, C., see Hammond, D.F.

GROSKOPP, M.C., see Davis, J.R.

GUDMESTAD, N.C., R.T. ZINK, and J.E. HUGUELET. The effect of harvest date and tuber-borne sclerotia on the severity of Rhizoctonia disease of potato, 35-41.

HAIR. B., see Gould, W.A.

HAMMOND, D.F. A method used in Maine for surveying potato diseases incited by aphidborne viruses, 463, (abst),

HAMMOND, D.F. and C. GRIFFIN. An evaluation of mineral oil sprays as a means to reduce the transmission of aphid-borne mosaic viruses in potatoes, 464, (abst).

HANNEMAN, R.E., Jr., see Landeo, J.A.; Sanford, J.C.; Ruhde, R.W.

HARRISON, M.D., see Kloepper, J.W.; Nnodu, E.C.

HAUMAN, Z. Current status of the cultivated collection maintained at the International Potato Center, 464, (abst).

HAYNES, F.L., see Ruttencutter, G.

HEDGES, A., see Ewing, E.E. HENNINGER, M.R., J.W. PATTERSON, and R.E. WEBB. Tuber necrosis in "Atlantic," 464, (abst).

HEPLER, P.R., see Manzer, F.E.

HILLER, L.K., see VanDenburgh, R.W.

HILLER, L.K., D.C. KOLLER, and R.W. VanDENBURGH. The effect of temperature on brown center induction in Russet Burbank potatoes, 465, (abst).

HOGAN, J.M., see True, R.H.

HOLSTAD, N.M., see Kunkel, R.; Ross, C.

HUANG, D.Y., C.A. RYAN, and B.G. SWANSON. Stability of proteinase inhibitors in potatoes during home-cooking, 465, (abst).

HUGUELET, J.E., see Gudmestad, N.C.

HUNGER, R.H. and G.A. McINTYRE. Occurrence, development, and losses associated with silver scurf and black dot on Colorado potatoes, 289-306.

- HUNTER, J.H., see Reeves, A.F.
- HUXSOLL, C.C., see Weaver, M.L.
- HYDE, G.M., R.E. THORNTON, and R. KUNKEL. Analysis of potato planter mechanisms, 466, (abst).
- IRITANI, W.M., see Shekhar, V.C.; Sacher, F.R.
- IWANAGA, M. and S.J. PELOQUIN. Synaptic mutant affecting only megasporogenesis, 466, (abst).
- JACKSON, M.T. and L.C. GONZALEZ. Persistence of Pseudomonas solanacearum in an inceptisol in Costa Rica, 467, (abst).
- JAWORSKI, C.A., R.E. WEBB, R.W. GOTH, and S.C. PHATAK. Resistance of potato cultivars to bacterial wilt, 467, (abst).
- JOHNSON, S.R., see True, R.H.
- JOHNSTON, E.F., see Kezis, A.S.
- JOHNSTON, G.R., see Young, D.A.
- JOHNSTON, G.R. and R.G. ROWBERRY. Trent: A mid-season, high-quality table and processing potato variety, 211-215.
- JONES, D.A., see Nelson, D.C.
- JONES, W.B., see Davis, J.R.
- KELMAN, A. The epidemiology of bacterial soft rot in stored potatoes, 468, (abst).
- KELMAN, A., see DeBoer, S.H.
- KEZIS, A.S., see Faunce, R.
- KEZIS, A.S. and R. FAUNCE. Changes in consumption of fresh potatoes by Northeast consumers as they relate to purchase, use, and socio-economic characteristics, 149-156.
- KEZIS, A.S., E.F. JOHNSTON, and R. FAUNCE. Preferred packaging and storage location in relation to quality problems encountered by Northeast fresh potato consumers, 265-271.
- KIMPINSKI, J. Root lesion nematodes in potatoes, 79-86.
- KINTNER, J. Consumer acceptance of some potato and cheese flavor combinations, 468, (abst).
- KLEINKOPF, G.E., see Dwelle, R.B.
- KLOEPPER, J.W., M.D. HARRISON, and J.W. BREWER. The association of Erwinia carotovora var. atroseptica and Erwinia carotovora var. carotovora with insects in Colorado, 351-361.
- KLOEPPER, J.W., M.N. SCHROTH, A.R. WEINHOLD, and T. BOWMAN. Chloropicrin fumigation for the control of potato blackleg and soft rot, 468, (abst).
- KOLLER, D.C., see Hiller, L.K.; VanDenburgh, R.W.
- KUENEMANN, R. Growth of the potato processing industry in the Pacific northwest, 470, (abst).
- KUNKEL, R., see Hyde, G.M.; Ross, C.
- KUNKEL, R, N.M. HOLSTAD, D.C. MITCHELL, T.S. RUSSELL, and R.E. THORN-TON. Maleic hydrazide studies on potatoes in Washington's Columbia basin, 470, (abst).
- LADD, T.L., see Sanford, L.L.
- LANDEO, J.A. and R.E. HANNEMAN, Jr. Crossability of Solanum tuberosum Gp. Andigena haploids, 427-434.
- LANDEO, J.A. and R.E. HANNEMAN, Jr. Heterosis and gene effects of Solanum tuberosum Group andigena haploids in a diallel cross with S. tuberosum Groups phureja, stenotomum and tuberosum haploids, 470, (abst). (Graduate Student Competition).
- LAZIN, M.B., E.E. EWING, and H.A. MENDOZA. Progress in screening for heat tolerance through the use of potato stem cuttings, 471, (abst). (Graduate Student Competition).
- LAZIN, M.B., I.J. SUNG, E.E. EWING, and J.B. SIECZKA. Relation between maturity of varieties and critical photoperiod for tuberization as determined by the stem cutting technique, 471, (abst).
- LEVY, D. Tuberization under high temperatures and its association with increased tuber yields in hot climates, 471, (abst).

- LULAI, E.C. and P.H. ORR. Influence of potato specific gravity on yield and oil content of chips, 379-390.
- MacKENZIE, J.D. and P. GREGORY. Evaluation of a comprehensive method for total glycoalkaloid determination, 27-33.
- MAGNUSON, J., see Shekhar, V.C.
- MANZER, F.E., see Storch, R.H.; Slack, S.A.
- MANZER, F.E., D.C, MERRIAM and P.R. HEPLER. Effects of potato virus S and mild potato virus X on early and late harvest yields of the Kennebec cultivar in Maine, 435-439.
- MANZER, F.E., D.C. MERRIAM, and C.E. MORNEAULT. Determination of the potential for transmission of ring rot among seed samples in the Maine Florida test, 320-322.
- MANZER, F.E. and S.A. SLACK. Report of the pathology section committee on bacterial ring rot diagnosis, 551-555.
- MARKAKIS, P., see Tarhan, A.F.
- MARTIN, M.W. Mass selection for potato disease resistance in field grown seedlings, 472, (abst).
- McCOLLUM, G.D. and S.L. SINDEN. Inheritance study of tuber glycoalkaloids in a wild potato, Solanum chacoense Bitter, 95-113.
- McINTYRE, G.A., see Hunger, R.H.
- McLAUGHLIN, R. Raw product quality requirements for processing potatoes, 473, (abst).
- MENDOZA, H.A., see Amoros, W.R.; Lazin, M. B.
- MERRIAM, D.C., see Manzer, F.E.
- MITCHELL, D.C., see Kunkel, R.
- MOLL, R.H., see Ruttencutter, G.
- MONDY, N.I. and S. CHANDRA. Quality of potato tubers as affected by freezing: I. Texture, ascorbic acid and enzymatic discoloration, 119-124.
- MONDY, N.I. and S. CHANDRA. Quality of potato tubers as affected by freezing: II. Lipids and minerals, 125-132.
- MOREAU, R.A., see Campbell, R.B.
- MORNEAULT, C.E., see Manzer, F.E.
- MUNOZ, F.J. and R.L. PLAISTED. The yielding and combining abilities of *Solanum tuberosum* ssp. andigena after six cycles of recurrent phenotypic selection, 473, (abst).
- NELSON, D.C., D. A. JONES, and M.C. THORESON. Relationships between weather, plant spacing, and the incidence of hollow heart in Norgold Russet potatoes, 581-586.
- NELSON, D.C., M.C. THORESON, and D.A. JONES. The relationship between tuber size and hollow heart in Norgold Russet potatoes, 329-337.
- NELSON, G.A. Persistence of *Corynebacterium sepedonicum* in soil and in buried potato stems, 71-77.
- NG, K.C., see Weaver, M.L.
- NG, K.C. and M.L. WEAVER. Effect of pH and temperatures on the hydrolysis of disodium acid pyrophosphate (SAPP) in potato processing, 63-69.
- NG, K.C. and M.L. WEAVER. Two-step blanching processes for controlling the texture of processed potato products, 473, (abst).
- NIELSEN, L.W. The epidemiology and control of potato brown rot, 474. (abst).
- NNODU, E.C. and M.D. HARRISON. The relationship between Verticillium albo-atrum inoculum density and potato yield, 11-25.
- NOLING, J.W., see Vitosh, M.L.
- O'KEEFE, R.B. Sucrose content of potatoes as affected by genotype and environment, 474, (abst).
- ORR, P., see Lulai, E.C.; True, R.H.
- OSMAN, S.F. and R.M. ZACHARIUS. Biosynthesis of potato glycoalkaloids, 475, (abst).
- OTAZU, V., R.T. ZINK, and G.A. SECOR. A practical technique for isolating wilt fungi from potato stems, 475, (abst).
- PATTERSON, J.W., see Henninger, M.R.
- PAVEK, J.J., see Dwelle, R.B.
- PELOQUIN, S.J., see Camadro, E.; Iwanaga, M.
- PHATAK, S.C., see Jaworski, C.A.

PHENE, C.J., J.L. FOUSS, and D.C. SANDERS. Water-nutrient-herbicide management of potatoes with trickle irrigation, 51-59.

PLAISTED, R.L., see Munoz, F.J.; Rasco, E.T.

RASCO, E.T. and R.L. PLAISTED. Photoperiod response and earliness of S. tuberosum ssp. andigena after six cycles of recurrent selection for adaptation to long days, 476,

REBOIS, R.V., and R.E. WEBB. Reniform nematode resistance in potato clones, 313-319. REEVES, A.F. and J.H. HUNTER. Eye numbers versus tuber size in Solanum tuberosum and effect on blind seedpieces from a mechanical seed cutter, 476, (abst).

ROCA, M.R., see Roca, W.M.

ROCA, W.M., J.E. BRYAN, and M.R. ROCA. Tissue culture for the international transfer of potato genetic resources, 1-10.

ROSS, C., R. KUNKEL, W. GARDNER, and N.M. HOLSTAD. The effect of deep tillage on yield, grade, tuber quality, and mineral uptake of Russet Burbank potatoes, 477, (abst).

ROWBERRY, R.G., see Johnston, G.R.

ROWE, R.C. Control of potato late blight with systemic fungicides, 477, (abst).

RUEDA, J.L., see Accatino, P.

RUHDE, R.W. and R.E. HANNEMAN, JR. Haploid extraction in the cultivar Russet Burbank, 587-589.

RUSSELL, T.S., see Kunkel, R.

RUTTENCUTTER, G., F.L. HAYNES, Jr., and R.H. MOLL. Estimation of narrow-sense heritability for specific gravity in diploid potatoes (Solanum tuberosum) subsp. phureja and stenotomum, 447-453.

RYAN, C.A., see Huang, D.Y.

SACHER, R.F. and W.M. IRITANI. Senescence phenomena in seed tubers as indicators of physiological ageing and yield potential, 478, (abst). (Graduate Student Competition).

SAND, P.F. The importance of potato varieties resistant to golden nematode in the cooperative federal-state golden nematode program, 478, (abst).

SANDERS, D.C., see Phene, C.J. SANFORD, J.C. and R.E. HANNEMAN, Jr. Reciprocal differences in the photoperiod reaction of hybrid populations in Solanum tuberosum, 531-540.

SANFORD, H.A., see Slack, S.A.

SANFORD, L.L. Effect of random mating on yield and specific gravity in two Solanum tuberosum subsp. tuberosum populations, 597-607.

SANFORD, L.L. and T.L. LADD. Selection for resistance to potato leafhopper in potatoes. II. Progress after two cycles of phenotypic recurrent selection, 479, (abst).

SANFORD, L.L. and T.L. LADD. Selection for resistance to potato leafhopper in potatoes II. Progress after two cycles of phenotypic recurrent selection, 541-547.

SCHROTH, M.N., see Kloepper, J.W.

SECOR, G.A., see Otazu, V.; Zink, R.T.

SEIBLES, T.S. Studies on potato proteins, 415-425.

SEWELL, G.H., see Storch, R.H. SHEKHAR, V.C. and W.M. IRITANI. Changes in malic and citric acid contents during growth and storage of Solanum tuberosum L., 87-94. SHEKHAR, V.C. and W.M. IRITANI. Influence of moisture stress during growth on ¹⁴CO₂

fixation and translocation in Solanum tuberosum L., 307-311.

SHEKHAR, V.C., W.M. IRITANI, and J. MAGNUSON. Starch-sugar interconversion in Solanum tuberosum L. II. Influence of membrane permeability and fluidity, 225-235. SIECZKA, J.B., see Ewing, E.E.; Lazin, M.B.

SINDEN, S.L., see McCollum, G.D.

SINDEN, S.L., L.L. SANFORD, and S.F. OSMAN. Glycoalkaloids and resistance to the Colorado potato beetle in Solanum chacoense Bitt., 479, (abst).

SINGH, R.P., M.E. DREW, E.M. SMITH, and R.H. BAGNALL. Potato virus A lesions on Physalis species, 367-371.

SLACK, S.A. Biology and epidemiology of potato ring rot, 480, (abst).

SLACK, S.A., see Manzer, F.E.

SLACK, S.A., H.A. SANFORD, and F.E. MANZER. The latex agglutination test as a rapid serological assay for Corynebacterium sepedonicum, 441-446.

- SLACK, S.A., H.A. SANFORD, and F.E. MANZER. Detection of Corynebacterium sepedonicum by the latex agglutination test, 480, (abst).
- SMILOWITZ, Z. see Whalon, M.E.
- SMITH, E.M., see Singh, R.P.
- SMITH, O.P., see Storch, R.H.
- SPARKS, W.C. Potato storage quality as influenced by duration of ventilation, 481, (abst).
- SPARKS, W.C., see Corsini, D.
- STALLKNECHT, G., see Corsini, D.
- STALLKNECHT, G.F. and S. FARNSWORTH. The effect of nitrogen on the coumarininduced tuberization of potato axillary shoots cultured in vitro, 523-530.
- STEINHORST, R.K., see Dwelle, R.B.
- STILES, D.G. Maine's anti-bruise campaign, 481, (abst).
- STORCH, R.H., F.E. MANZER, G.H. SEWELL, and O.P. SMITH. Adult red-headed flea beetle found feeding on potato in Maine (Coleoptera: Chrysomelidae), 363-364.
- SWANSON, B.G., see Yu, Wen-Wei.
- SWANSON, R.G., see Huang, D.Y.
- TAI, G.C.C. and T.R. TARN. Correlated responses to selection in the first clonal generation of tuberosum-andigena hybrid potatoes, 482, (abst).
- TARHAN, A.F., J.N. CASH, and P. MARKAKIS. A new method for determining fructose and glucose in potatoes, 482, (abst).
- TARN, T.R., see Tai, G.C.C.
- TEITZEL, C., see True, R.H.
- THORESON, M.C., see Nelson, D.C.
- THORNTON, R.E., Analysis of potato stand problems in Washington, 483, (abst).
- THORNTON, R.E., Tuber condition Effect on harvest damage, 483, (abst).
- THORNTON, R.E., see Hyde, G.M.; Kunkel, R.
- TOMA, R.B., see True, R.H.
- TRUE, R.H., J.M. HOGAN, J. AUGUSTIN, S.R. JOHNSON, C. TEITZEL, R.B. TOMA, and P. ORR. Changes in the nutrient composition of potatoes during home preparation: III. Minerals, 339-350.
- TWOMEY, J., see Workman, M.
- VanDENBURGH, R.W., see Hiller, L.K.
- VanDENBURGH, R.W., L.K. HILLER, and D.C. KOLLER. The effect of different soil temperatures on the development of brown center in potatoes, 483, (abst). (Graduate Student Competition).
- VARNS, J.L. and M.T. GLYNN. Detection of disease in stored potatoes by volatile monitoring. 185-197.
- VITOSH, M.L., G. W. BIRD, R. W. CHASE, and J. W. NOLING. The interaction of nitrogen fertilizer and several pesticides on potato yield, 483, (abst).
- VRUGGINK, H. and H.P.M. GEESTERANUS. Various aspects of potato blackleg in the Netherlands, 484, (abst).
- WADE, E.K., see Weis, G.G.
- WEAVER, M.L., see Ng, K.C.
- WEAVER, M.L. and K.C. NG. Three-step blanching procedure for controlling texture and nutrition of processed potatoes and other fruit and vegetable tissue, 485, (abst).
- WEAVER, M.L., K.C. NG, and C.C. HUXSOLL. Sampling potato tubers to determine peel loss, 217-224.
- WEBB, R.E., see Goth, R.W.; Henninger, M.R.; Jaworski, C.A.; Rebois, R.V.
- WEINHOLD, A.R., see Kloepper, J.W.
- WEIS, G.G., E.K. WADE, and J.O. BALDOCK. Fungicides through center pivot irrigation on Russet Burbank potatoes, 485, (abst).
- WELLS, A.L. Soil insect control studies in potatoes, 486, (abst).
- WHALON, M.E. and Z. SMILC WITZ. The interaction of temperature and biotype on development of the green peach aphid, Myzus persicae (Sulz.), 591-596.
- WORKMAN, M., A. CAMERON, and J. TWOMEY. Influence of chilling on potato tuber respiration, sugar, O-dihydroxyphenolic content and membrane permeability, 277-288.

- WORKMAN, M., A. CAMERON, and J. TWOMEY. Influence of chilling on potato tuber respiration, sugar, O-dihydroxyphenolic content, and membrane permeability, 486, (abst).
- YOUNG, D.A., H.T. DAVIES, and G.R. JOHNSTON. Jemseg: A new, early high-yielding
- potato variety with high resistance to virus Y and immune to virus X, 325-328. YU, WEN-WEI, and B.G. SWANSON. Potato blanching now and in the future, 486, (abst).
- ZACHARIUS, R.M., see Osman, S.F.
- ZINK, R.T., see Gudmestad, N.C.; Otazu, V.
- ZINK, R.T. and G.A. SECOR. The presence of fungal will pathogens increases the incidence of potato blackleg, 487, (abst).

SUBJECT INDEX

Aeration, 199

After cooking darkening, 63

Aglycones, 27, 110

Albumen fraction, 415

Amino acids, 415, 423

In seed tubers, 478

Anti-bruise campaign, 481

Aphid biotypes, 592

Aphid population prediction, 237, 591

Aphid sampling, 237

Ascorbic acid, 119, 122

Autotetraploids, 455

Blind seed pieces, 476

Brown center, 483

Brown center induction, 465

Bruise detection kit, 482 ¹⁴CO₂ distribution in tubers, 309

¹⁴CO₂ fixation, 307

14CO₂ translocation, 307

Cheese flavored potato products, 468

Chemical elements in tubers

Calcium, 55

Magnesium, 55

Nitrogen, 55

Phosphorus, 55

Potassium, 55

Chemicals

Acetaldehyde, 193

Disodium acid pyrophosphate, 63

Ethanol, 185

Ethyl acetate, 193

Fumigants

Chloropicrin, 468

Chlorpropham, 43

Telone, 79

Vapam, 13

Fungicides

Bravo, 485

CGA-48988, 477

Difolatan, 485

Du-Ter. 485

Ortho 20615, 478

Herbicides

Eptam, 52

Metribuzin, 461

Hydrogen sulfide, 193

Insecticides

Dacamox, 484

DiSyston, 484

Furadan, 484

Temik, 79, 484

Vorlex, 484

Isobutyl alcohol, 193

Maleic hydrazide, 44, 470

Methyl acetate, 193

Methyl disulfide, 193

Methyl sulfate, 193

N-propanol, 193

Propanethiol, 193 Sprout inhibitor

PCNB, 253

2-Butanone, 185

Chilling injury, 277, 461, 486

CIP collection of cultivated potato varieties, 469

Citric acid, 87, 92, 93

Compaction, 199

Consumer attitudes, 149, 177

Coumarin, 523

Cracking, 458

Crossability of haploids

Andigena, 427

Phureja, 427

Stenotomum, 427

Tuberosum, 427

Cytoplasmic inheritance, 531

Dauermodification, 531

Deep tillage, 477

Diagnostic host

A-6, 370

Dimple end, 458

Diploid potatoes, 459

Phureja, 447

Stenotomum, 447

Tuberosum, 447

Disease detection, 185

Disease free, 1

Diseases

Black dot, 289

Blackleg, 243, 351, 462, 468, 484, 487

Common scab, 472

Deep-pitted scab, 456, 472

Early blight, 472

Late blight, 477, 485

Leafroll, 456, 472

Powdery mildew, 472

Rhizoctonia, 35, 253

Ring rot, 320, 441, 459, 480

Sclerotinia wilt, 472

Silver scurf, 289

Soft rot, 243

Verticillium wilt, 472

Disease organisms

Bacteria

Bacillus, 456, 468

Clostridium, 481

fascians, 444

flaccumfaciens, 444

insidiosum, 443

michiganense, 443

poinsettiae, 444

Corynebacterium sepedonicum, 71, 441, 460, 480

Erwinia sp., 190, 462, 468, 476

carotovora, 185, 190, 196, 243, 351, 444, 458, 468, 485, 487

var. atroseptica, 189, 243, 351, 444, 481, 485, 487

Flavobacterium, 468

Micrococcus, 456

Pseudomonas, 456

solanacearum, 467, 468, 474

Fungi

Alternaria, 456

Colletotrichum, 476

atramentarium, 289

Fusarium, 190, 195, 456, 476

oxysporum, 475, 487

solani, 475, 487

sulphureum, 487

Helminthosporium solani, 289

Penicillum, 456

Phytophthora infestans, 485

Rhizoctonia solani, 253, 375, 457

Rhizopus, 456

Streptomyces

cinerochromogenes, 456

mirabilis, 456

resistomycificus, 456

scabies, 215, 375, 456

Trichoderma, 456

Verticillium, 81, 476

albo-atrum, 11, 15

dahliae, 487

Virus

A. 367, 463

M, 368

S, 368, 375

X. 368, 435

Y, 368, 463

Double tuber, 458

Dye markers, 217

Electrofocusing, 415

Electrophoresis, 415

Enzymatic discoloration, 119

Erect leaf, 458

Errata, 324, 406, 439

Eye canker, 458

Eye number, 476

Fasciation, 458

Fatty acids, 129

Florida test, 320

Freezing, 119, 125

French fry color, 69

French fry quality parameters, 456

Germ plasm, 1

Gibberellic acid, 1

Globulin fraction, 415

Glycoalkaloids, 110, 375, 475, 479

Analysis, 27, 98, 145

Chaconine, 95, 480

Commersonine, 95, 479

Dehydrocommersonine, 479

Demissine, 95

Solanine, 27, 95, 479

Tomatine, 27, 29, 30, 31

Growth regulators, 523

Haploid extraction, 587

Harvest damage, 483

Harvest date affecting disease, 38

Heat sprout, 458

Heat tolerance, 471

Hollow heart, 329, 581

Hopper burn, 546

Hydrolysis, 63

Immunofluorescence, 243

Inoculation density, 11

Insects

Allotrichoma spp., 354

Bradysia sp., 354

Family Ceratopogonionidae, 354

Family Chironomidae, 354

Colorado potato beetle, 472, 479

Drosophila

buskii, 354

melanogaster, 352, 354,

spp., 354

Empoasca fabae, 479, 541, 598

Epitrix cucumeris, 364

Glischrochilus quadrisignatus, 248

Hylemya platura, 354

Leptocera spp., 354

Macrosiphum euphorbiae, 462

Macrosteles fascifrons, 354

Family Milichiidae, 354

Family Muscidae, 354

Myzus persicae, 237, 462, 591

Pelomyia cruciata, 354

Pentapleura, 354

Phormia spp., 354 Protophormia terraenovae, 354 Scatopse fuscipes, 354 Family Staphylinidae, 354 Systena frontalis, 363 White grubs, 486

Wireworms, 486 International transfer, 1,5,7 Inverted leaf, 458 Ion leakage, 277, 486 Isolation of fungi, 475 Katsura medium, 525 Leaf area, 459 Leaf sampling for aphids, 237 Lipids, 127 Malic acid, 87, 90, 91, 93 Marketing potatoes, 149, 177 Mechanical seed cutter, 476 Megasporogenesis, 466 Membrane permeability, 225, 478 Meristem plantlets, 1 Meristem propagation, 9, 352

Mineral content of tubers, 130, 339

Aluminum, 341 Boron, 342 Calcium, 342 Cooking affecting, 339 Copper, 339, 343 Iodine, 343 Iron, 339, 344 Magnesium, 339, 344 Manganese, 345 Molybdenum, 345 Petiole analyses, 56, 477 Nitrogen, 56 Phosphorus, 346 Potassium, 339, 346 Selenium, 347 Sodium, 347

Selenium, 347
Sodium, 347
Zinc, 348
Moericke trap, 238
Moisture stress, 307
Murashige-Skoog medium, 3, 525
Nematodes
Density, 82, 83

Golden nematode, 478 Sampling, 80 Species Aglenchus costatus

Aglenchus costatus, 81 Boleodorus thylactus, 81 Globodera pallida, 313 rostichiensis, 313

Longidorus elongatus, 81

Neopsilenchus magnidens, 81

Paratylenchus tateae, 81

Pratylenchus

crenatus, 79

labiosus, 82

penetrans, 79

Rotylenchulus reniformis, 313

Tylenchus davainei, 81

Xiphinema diversicaudatum, 81

Net necrosis, 472

Nitrogen metabolism, 523

Nodal cuttings, 1

PAA

Abstracts of papers presented at 63rd annual meeting, 455

Business editor's annual report, 509

Call for nominations for honorary members, 562

Call for papers for 64th meeting, 560, 617

Certification section

Annual report, 412

Minutes, 517

Constitution and bylaws, 562

Editor's report, 520

Graduate student awards, 558, 618

Honorary Life members

Mosher, Paul N., 401

Nielsen, L. W., 403

Watts, J. W., 405

Information for authors, 397

Membership list, 391

Minutes of PAA annual meeting, 498

Minutes of PAA Executive Committee, 489

National Potato Utilization Conferences 1948-1971, 555

Obituaries

Albert E. Merker, 61

Douglas C. Munro, 323

Robert C. Cetas, 409

Papers in "Potato Research" 1978, 273

Pathology Section Annual Report, 411

Pathology Section combined meeting minutes, 610

Pathology Section winter meeting minutes 1979, 612

Program 63rd meeting, 158

R. L. Sawyer honored by University of Maine at Orono, 407

Sections and committees for 1979-80, 511

64th annual meeting Scottsbluff 1980, 559

Treasurer's report, 507

Utilization Section Report 1978-79, 518

Packaging potatoes, 265

Pedigrees

Denali, 374

Jemseg, 325

Trent, 212

Peel loss, 217

Perforated leaf, 458

Persistence of ring-rot bacteria, 71

Phospholipids, 127

Photoperiod, 3, 471, 472, 476, 531

Photosynthetic rate, 459

pH relations, 63

Physiological ageing, 478

Planting botanical seed, 455

Plant species

Agropyron repens, 249

Amaranthus hybridus, 57

Ambrosia artemisiifolia, 57, 363

Bidens

frondosa, 363

pilosa, 467

Chenopodium album, 57, 363

Cyperus compressus, 57

Diplotaxis sp., 249

Eleusine indica, 57

Erigeron strigosus, 249

Eruca sativa, 462

Ipomoea batatas, 597

Melampodium perfoliatum, 467

Mollugo verticillata, 57

Physalis

angulata, 367

floridana, 367, 464

pubescens, 367

Polygonum pensylvanicum, 363

Potentilla norvegica, 249

Prunus persicae, 238

Richardia scabra, 57

Samsun tobacco, 368

Taraxacum officinale, 249

Tragopogon dubius, 249

Verbascum thapsus, 249

Potato blanching, 486

Three-step blanching, 485

Two-step blanching, 473

Potato chips

Color, 133, 474

Oil content, 379

Potato consumption, 149, 177, 265

Potato cultivars

New

Delta Gold, 157

Denali, 373

Jemseg, 325

Trent, 211

Old

Abnaki, 136, 467

Alamo, 136, 598

Alaska, 114, 377, 458

Atlantic, 120, 126, 445, 464, 467

Atzimba, 467

Belchip, 467

Belleisle, 461, 467

BelRus, 467

Butte, 457

Casa Blanca, 456

Cascade, 146, 467, 598

Centennial, 279, 291, 467

Cherokee, 467

Chieftain, 187

Chippewa, 467, 598

Deodara, 96

Desiree, 472

Early Rose, 461

Epicure, 461

Green Mountain, 467

Haulash, 456

Houma, 467

Hudson, 136, 315, 467

Iopride, 136, 458

Irish Cobbler, 83, 201, 368, 467

Katahdin, 28, 120, 126, 136, 146, 320, 341, 415, 467, 592

Kennebec, 79, 83, 96, 136, 146, 189, 219, 375, 416, 435, 456, 461, 467, 598

LaChipper, 445, 467

LaRouge, 313, 467

Lenape, 96, 146

Merrimack, 316, 416, 467

Monona, 136, 291, 461, 467, 598

New Haig, 136

Norchip, 13, 17, 18, 52, 136, 139, 146, 291, 298, 299, 339, 341, 379, 461, 467

Norgold, 13, 16, 23

Norgold Russet, 36, 40, 291, 329, 445, 461, 467, 582

Norland, 36, 461

Ona, 467, 598

Onaway, 484

Ollaway, 46

Ontario, 467

Peconic, 136, 315

Penn 71, 136

Penobscot, 467, 598

Pungo, 467

Red LaSoda, 313, 445, 461, 467

Red McClure, 291

Red Pontiac, 73, 368, 461, 467

Russet Burbank, 44, 65, 79, 83, 88, 146, 189, 219, 227, 253, 279, 291, 308, 341, 368, 445,

456, 457, 461, 463, 465, 477, 483, 484, 485, 525, 587 589, 592

Saco, 467

Sebago, 79, 83, 467

Shurchip, 136, 291

Snowchip, 375, 467

Superior, 79, 83, 136, 146, 484

Up-to-Date, 472

Warba, 461

Wauseon, 136, 416, 467

White Rose, 461, 598

Wischip, 467

Solanums

acaule, 460

andigena 456, 460, 473, 476, 482

clones, 531

caldasii. 96

chacoense, 95, 474, 479

curtilobum, 461

demissum, 96

gourlavi, 457

horovitzii, 97

infundibuliforme, 457

melongena, 443

oplocense, 457

phureja, 460, 466, 470, 474, 531, 587

sparsipilum, 474

spegazzinii, 457

stenotomum, 460, 470, 531

Numbered seedlings

47156, 598

58170-1, 598

6CX6, 136

B922-3, 598

B3139-24, 598

B3627-18, 598

B3692-4, 598

B3819-17, 598

B4123-10, 598

B4789-5, 598

B4878-7, 598

B5000-18, 598

B5031-7, 598

B5031-18, 598

B5052-7, 598

B5052-14, 598

B5141-6, 598

B5253-14, 598

B5287-16, 598

B5512-11, 598

B7154-8, 313

B7642-2, 313

B7680-6, 313

F.L. 162, 291

MS 709, 136

NY 30, 136

W 710, 136

W 718, 136

WC 230-14, 279

WC 285-18, 179

Potato planter mechanisms, 466

Potato quality, 199, 214

Potato volatiles, 185

Tenax GC, 190

Processing industry, 469

Proteinase inhibitors, 465

Random mating, 597

Raw product quality, 473

Reciprocal difference, 531

Reconditioning, 461

Residue levels, 47

Resistance to

field frost, 458

golden nematode, 316, 478

leafroll, 456

potato leafhopper, 479

Respiration, 277

Rosetting, 458

SAPP, 64 pH, 67

temperature, 66

Second growth, 458

Serodiagnosis, 441

Size of tubers in relation to hollow heart, 331, 333

Soil C2H4, 199

Soil matric potential, 58, 199

Sources of contaminated insects, 355

Spacing of seed pieces, 253

Specific gravity, 84, 377, 379, 447, 477, 597

Spore morphology, 297

Sprout inhibition, 43

Sprout tuber, 458

Stand problems, 483

Starch, 225

Stem cuttings, 462, 471

Stewart's McConkey-pectate medium, 353

Stolon extension, 458

Stolon plant production, 458

Stomatal conductance, 459

Storage, 185, 226, 265, 481

Airflow in, 481

Quality, 481

Sugar, 277

Fructose, 461, 482

Glucose, 461, 482

Interconversion, 225

Sucrose, 90, 461, 479

Systemic fungicides, 477

Tetrazolium, 478

Tissue culture, 1, 523

Thermal requirements of green peach aphid, 594

Trickle irrigation, 51

Herbicide application, 51

N.P.K. application, 51

Tritium, 83

Tuber

Constriction, 458

Growth, 582

Necrosis, 464

Proteins, 415

Respiration, 486 Shape, 221

Size, 253

Weight loss, 289, 523

Tuberization, 471, 523

Tuberosum-andigena hybrids, 482

2n pollen, 457

Virus free seed, 435

Water trap pans, 237

Weed control, 51

Yield, 11, 54, 84, 199, 253, 378, 435, 438, 455, 473, 477, 483, 597

Potential, 478